


.1

n

1.0



S-14705 - S-14700 bundled with NIST traceable calibration • S-14707 - S-14702 bundled with NIST traceable calibration

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25mm

S-14710 - 25mm Total Scale / 1.0mm - .1mm - .02mm divisions • S-14712 - same in Reflected Light version 0 thru 20 divided into 1.0mm divisions / 20 thru 25 divided into 0.1mm divisions / 23 thru 25 divided into 0.02mm divisions S-14715 - S-14710 bundled with NIST traceable calibration • S-14717 - S-14712 bundled with NIST traceable calibration

S-14720 - 1 inch & 25mm Stage Micrometer / both above scales on one slide • S-14722 - same in Reflected Light version S-14725 - S-14720 bundled with NIST traceable calibration • S-14727 - S-14722 bundled with NIST traceable calibration

SPECIFICATIONS: Glass: 1.0 inch x 3.0 inch x 0.110 inch / Lines: Chrome Deposition / Lines on RF version: Clear on chrome background Flatness: 2 waves or better / Tolerances: ± 0.005mm unless otherwise noted / Surface Quality: 20/10 / Parallelism: 2 min.