www.microscope\_depot.com • sales@m-depot.com • Sales: (888) SCOPES-8 • Main: (209) 839-2990 • Fax: (888) 872-4300 • 392 W. Larch Rd. Bldg. 28, Tracy, CA 95304

# CORDLESS DIGITAL STUDENT MICROSCOPE WITH MOTIC PLAY & EDUCATOR SOFTWARE

MODEL B-02000 See illustration on page 3.

Designed to facilitate teaching at the elementary level using the standard microscope format most commonly used in U.S. schools, now with built-in digital camera for exciting new teaching opportunities. 45° inclined viewing head is very convenient for younger students. This model utilizes cordless LED illumination with rechargeable batteries, and recharger. Rugged metal frame, precision optical glass lenses. Student proofing features minimize loss of parts and other student abuse. Recommended for instruction through grade 8.

## The Microscope

#### **OPTICAL SYSTEM**

- Widefield 10x eyepiece with revolving pointer, 45° inclined for viewing ease when seated.
- Head rotates 360°.
- Achromatic, color-coded 4x, 10x 40xR objectives mounted on precision revolving objective turret, 40x, 100x and 400x magnification.

#### **ILLUMINATION**

- LED light rated up to 50,000 hours life, illumination equal to a 20-watt tungsten bulb, totally heat free.
- Set of 3 AA rechargeable nickel metal hydride batteries allows up to 1000 recharges, for a total of 40,000 to 50,000 hours of use. Included battery charger automatically stops charging when batteries are fully charged....protects batteries from overcharging, also permits conventional light operation by plugging into regular wall outlet. No need for expensive recharger stations, plugs into inexpensive multiple outlet power strips available from any grocery or hardware store.
- Single 8-hour charge provides 40 to 50 hours of use.
- · Recharger also permits light operation by plugging into standard wall outlet

#### **FOCUSING**

- Oversized focusing knobs provide mid-range focusing between normal coarse and fine focus range.
- Slip clutch prevents damage to focus mechanism.
- Rack stop protects objectives and specimen slides.

#### **STAGE**

- Rotating / Gliding Stage
- Locked-on, spring activated stage clips.

### **FRAME**

- · Rugged cast metal frame, gray enamel finish.
- Height 278 mm (11 in.). Net wt. 1.7 kgs (3.7 lbs)

## **PACKING**

- Molded styrofoam container with instruction brochure and vinyl dustcover.
- Individual: Ship wt. 2.7 kgs (6 lbs), Dimensions 450x300x275mm (18x12x11 in.)
- Master carton pack 5 each: Ship wt. 13.6 kgs (30 lbs), Dimensions 775x275x400mm (31x11x16 in.)

**MODEL B-02000** 

Cordless Digital Student Microscope w/Motic Play & Educator Software

Page 2 of 3

PARTS & ACCESSORIES

S-05701 Replacement bulb, 115v 15 watt, D.C. medium bayonet base

## THE CAMERA

This model permits hook-up to computer with supplied USB cable. Easy-to-use software for capturing microscope images, labeling, measuring, storing, and e-mailing. Requires a PC with Windows XP or above & Mac OS X.

Comes with two versions of Motic Software for use with PC or Mac computers.

1. Motic Play: Child & Elementary Version

2. Motic Educator: Student Version

	USB (digital signal)
Image device	CMOS
Effective pixels	640 x 480
Framed resolution	640 x 480 pixels
White balance	Auto white balance
B.L.C.	Back light compensation (auto)
Power supply	5v self powered from computer USB

# System Requirements

Operating System	Windows XP or above. OSX
Computer Requirements	1 Ghz processor, Video card: 128 MB, RAM 512 MB or above, USB 2.0
Menu on monitor	Pull-down menus for opening, storing, printing, regulator for brightness, color, gamma correction. Icons for recording, switching between large and small image, automatic and manual white balance.
Image data	Automatic reference number, date, time
Interactive adjustment	Color, brightness, contrast
Import of stored data	Possible

## **Environmental conditions**

Operating temperature	-50°F to +150°F
Storage temperature	-50°F to +175°F
Relative humidity	40% to 95%

## MICROSCOPE WARRANTY:


• 5-year limited warranty, excluding bulb & cords.

## **CAMERA WARRANTY:**

• 1-year limited warranty

#### SOFTWARE WARRANTY:

90-day limited warranty.



MODEL B-02000